ARISH BABU R.R. M.Sc.,

Jalashakthi Ground Water & Borewell Consultant

35/6, Kiran Complex, Opp. Mangalore Independent College,
Ullala Main Road, Muneshwara Nagar, Jnanabharathi Post,
Bangalore - 560 056.

Mobile : 99801 94377
98443 72004
E-mail : arishbabu11@gmail.com

GROUND WATER INVESTIGATION / YIELD REPORT

No.:

Date : 24/06/2019

Name & Adress : Providing borewell water pipeline wate
Supply works at ward No.03

Purpose of Ground Water : Drinking purpose

Ground Water Potential : 285.00M.

Site Location : Doddabettahalli Layout.

Topography : Magnetic Soil

Soil : Gravelic Stone

Rock below the soil : hard rock

Water Striking Levels					
	1st Source	2nd Source	3rd Source	Casing	Yield
Point # 1	161.00 Ft.	229.00 Ft.	294.00 Ft.	60 - 65 Ft.	2500 Gals/Hr.
Point # 2	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 3	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 4	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 5	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 6	Ft.	Ft.	Ft.	Ft.	Gals/Hr.

Note : Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ,
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-10ಕ್ಕೆ.

AE-3

(ARISH BABU R.R.)
Consultant Geologist / Diviner

Scanned by CamScanner

ARISH BABU R.R. M.Sc..

Jalashakthi Ground Water & Borewell Consultant

35/6, Kiran Complex, Opp. Mangalore Independent College,
Ullala Main Road, Muneshwara Nagar, Jnanabharathi Post,
Bangalore - 560 056.

Mobile : 99801 94377
98443 72004
E-mail : arishbabu11@gmail.com

GROUND WATER INVESTIGATION / YIELD REPORT

No.:

Date : 24/06/2019

Name & Adress : Providing Borewell water pipeline water Supply works at ward No.03.

Purpose of Ground Water : Drinking purpose.

Ground Water Potential : 280.00M.

Site Location : Basavalingappa layout

Topography : Magentic Soil

Soil : Gravati stone

Rock below the soil : hard rock.

Water Striking Levels					
	1st Source	2nd Source	3rd Source	Casing	Yield
Point # 1	184.00 Ft.	270.00 Ft.	288.00 Ft.	60-65 Ft.	2000 Gals/Hr.
Point # 2	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 3	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 4	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 5	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 6	Ft.	Ft.	Ft.	Ft.	Gals/Hr.

Note : Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure.

ಸಹಾಯಕ ಕಾರ್ಯ ಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಪಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ.
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬಿಡಿಗಳೂರು-106

AE-3

(ARISH BABU R.R.)
Consultant Geologist / Diviner

Scanned by CamScanner

ARISH BABU R.R. M.Sc.,

Jalashakthi Ground Water & Borewell Consultant

35/6, Kiran Complex, Opp. Mangalore Independent College,
Ullala Main Road, Muneshwara Nagar, Jnanabharathi Post,
Bangalore - 560 056.

Mobile : 99801 94377
98443 72004
E-mail : arishbabu11@gmail.com

GROUND WATER INVESTIGATION / YIELD REPORT

No.:

Date : 24/06/2019

Name & Adress : Providing borewell water pipe line water Supply works at ward No.03.

Purpose of Ground Water : Drinking purpose

Ground Water Potential : 288.00M

Site Location : Anantapura lake

Topography : Magnetic Soil

Soil : Gravatic Stone

Rock below the soil : hard rock.

Water Striking Levels					
	1st Source	2nd Source	3rd Source	Casing	Yield
Point # 1	190.00 Ft.	280.00 Ft.	296.00 Ft.	60-65 Ft.	2000 Gals/Hr.
Point # 2	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 3	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 4	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 5	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 6	Ft.	Ft.	Ft.	Ft.	Gals/Hr.

Note : Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ,
ಜ.ಜ.ಎ.ಪ.ಪ. ಬೆಂಗಳೂರು-106

20/6/19

AE-3

(ARISH BABU R.R.)
Consultant Geologist / Diviner

Scanned by CamScanner

ARISH BABU R.R. M.Sc.,

Jalashakthi Ground Water & Borewell Consultant

35/6, Kiran Complex, Opp. Mangalore Independent College,
Ullala Main Road, Muneshwara Nagar, Jnanabharathi Post,
Bangalore - 560 056.

Mobile : 99801 94377
98443 72004
E-mail : arishbabu11@gmail.com

GROUND WATER INVESTIGATION / YIELD REPORT

No.:

Date : 24/06/2019

Name & Adress : Providing borewell water pipeline water Supply works at ward No.03.

Purpose of Ground Water : Drinking purpose

Ground Water Potential : 280.00 M

Site Location : Dodda Betta halli

Topography : Magenetic Soil

Soil : Graveliic Stone

Rock below the soil : hard rock.

Water Striking Levels					
	1st Source	2nd Source	3rd Source	Casing	Yield
Point # 1	190.00 Ft.	281.00 Ft.	296.00 Ft.	60-65 Ft.	2000 Gals/Hr.
Point # 2	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 3	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 4	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 5	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 6	Ft.	Ft.	Ft.	Ft.	Gals/Hr.

Note : Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ
ಬಿ.ಡಬ್ಲ್ಯು.ಎಸ್.ಎಸ್.ಬಿ. ಬೆಂಗಳೂರು-10

AE-3

(ARISH BABU R.R.)
Consultant Geologist / Diviner

Scanned by CamScanner

ARISH BABU R.R. M.Sc.,

Jalashakthi Ground Water & Borewell Consultant

35/6, Kiran Complex, Opp. Mangalore Independent College,
Ullala Main Road, Muneshwara Nagar, Jnanabharathi Post,
Bangalore - 560 056.

Mobile : 99801 94377
98443 72004
E-mail : arishbabu11@gmail.com

GROUND WATER INVESTIGATION / YIELD REPORT

No.:

Date : 24/06/2019.

Name & Adress : Providing borewell water pipeline water Supply works at ward NO 03

Purpose of Ground Water : Drinking purpos

Ground Water Potential : 286.00 M

Site Location : Chikkabetta halli

Topography : Magnetic Soil

Soil : Graveli Stone

Rock below the soil : hard rock.

Water Striking Levels					
	1st Source	2nd Source	3rd Source	Casing	Yield
Point # 1	170.00 Ft.	275.00 Ft.	280.00 Ft.	60-65 Ft.	2000 Gals/Hr.
Point # 2	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 3	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 4	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 5	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 6	Ft.	Ft.	Ft.	Ft.	Gals/Hr.

Note : Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-೧೮

AE-3

(ARISH BABU R.R.)
Consultant Geologist / Diviner

Scanned by CamScanner

ARISH BABU R.R. M.Sc.,

Jalashakthi Ground Water & Borewell Consultant

35/6, Kiran Complex, Opp. Mangalore Independent College,
Ullala Main Road, Muneshwara Nagar, Jnanabharathi Post,
Bangalore - 560 056.

Mobile : 99801 94377
98443 72004
E-mail : arishbabu11@gmail.com

GROUND WATER INVESTIGATION / YIELD REPORT

No.:

Date : 24/06/2019

Name & Adress : Providing borewell water pipe line water Supply works at ward No:3

Purpose of Ground Water : Drinking purpose

Ground Water Potential : 286.00 M

Site Location : Adithya Nagara Near over head tank.

Topography : Magnetic Soil

Soil : Gravatic Stone

Rock below the soil : hard rocks.

Water Striking Levels					
	1st Source	2nd Source	3rd Source	Casing	Yield
Point # 1	176.00 Ft.	264.00 Ft.	290.00 Ft.	60-65 Ft.	2500 Gals/Hr.
Point # 2	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 3	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 4	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 5	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 6	Ft.	Ft.	Ft.	Ft.	Gals/Hr.

Note : Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ
ಜಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106

AE

PRA

(ARISH BABU R.R.)
Consultant Geologist / Diviner

Scanned by CamScanner

ARISH BABU R.R. M.Sc.,

Jalashakthi Ground Water & Borewell Consultant

35/6, Kiran Complex, Opp. Mangalore Independent College,
Ullala Main Road, Muneshwara Nagar, Jnanabharathi Post,
Bangalore - 560 056.

Mobile : 99801 94377
98443 72004
E-mail : arishbabu11@gmail.com

GROUND WATER INVESTIGATION / YIELD REPORT

No.:

Date : 24/06/2019.

Name & Adress : Providing borewell water pipe line water Supply works at ward no:03.

Purpose of Ground Water : Drinking purpose

Ground Water Potential : 288.00M

Site Location : Adithya Nagara (Near Temple)

Topography : Magnetii Soil

Soil : Gravatii Stone

Rock below the soil : hard rocks.

Water Striking Levels					
	1st Source	2nd Source	3rd Source	Casing	Yield
Point # 1	176.00 Ft.	260.00 Ft.	290.00 Ft.	60-65 Ft.	2500 Gals/Hr.
Point # 2	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 3	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 4	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 5	Ft.	Ft.	Ft.	Ft.	Gals/Hr.
Point # 6	Ft.	Ft.	Ft.	Ft.	Gals/Hr.

Note : Although the best site for drilling has been suggested. NO GUARANTEE of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the recommended being failure.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ ಉಪವಿಭಾಗ
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ
ಜ.ಜ.ಬಿ.ಬಿ. ಬೆಂಗಳೂರು.

(ARISH BABU R.R.)
Consultant Geologist / Diviner

Scanned by CamScanner